

Donation number	

## New opening hours:

Basel Blood Donation Centre

Mon / Tue / Weds 10:00am - 2:00pm

4:00pm - 7:00pm

Thur / Fri 7:30am – 2:00pm

2nd + 4th Saturdays

of the month 9:00am – 2:00pm

Baselland Cantonal Hospital in Liestal

Weds 5:00pm – 8:00pm

New donor registration possible up to 1 hour before closing.

Please note our changed opening hours before and on public holidays.

Visum VP:

Entnahmedauer:

Stiftung Blutspendezentrum SRK beider Basel, Hebelstrasse 10, CH-4031 Basel Tel: +41(0) 61 265 20 90, Fax: +41(0) 61 265 31 82, blutspende-basel@usb.ch, www.blutspende-basel.ch

# Donate Blood. Save Lives.

Vollständigkeit des Fragebogens und Unterschrift überprüft

□Ja

2017

Dear donor,

As of	the fol	llowing o	late you	are l	kindly	invited	to do	nate blood.
-------	---------	-----------	----------	-------	--------	---------	-------	-------------

prior to yo	our blood	donation a		with you. I	f you have a		r black pen w ions, please		
Neu	Тур	RhD	Sysmex	Haemo	Blutdruck	Puls	Gewicht	FER	AKOE
Bemerkunge (durch Perso		en)							
Arzt-/Erstspendergespräch: ☐ Ja ☐ Nein			Spendetaug Falls «Nein»		□ Ja	□ Ne	ein		

Datum:

Datum:

☐ Nein

Visum BSD:

Visum BSD:

Visum BSD:

Arzt:

Identität kontrolliert:

You have just read the **information sheet for blood donors** and you think you may donate blood. We thank you for being willing to answer with the greatest sincerity the following questions. By doing so you will substantially contribute to your own safety and to the security of the patients who will receive your blood. Please confirm by signing overleaf that you have made yourself fully acquainted with the information sheet for blood donors and that you consent today to donate blood.

		Yes	No	Visa RBTS SRC		
1.	Have you ever donated blood, in the past? If so, give date of last donation Where?				12. a)	Were you born did you live th
2	Do you weigh more than 50 kg (or 110 lbs)?					If yes, in which
3.	Are you in good health at present?				b)	Was your mot
1.	Have you been treated by a dentist or dental hygienist in the past 72 hours?					there, or did s If yes, in whic
5.	During the past 4 weeks have you received medical care, or had a temperature of more than 38° C (or 100° F)?				13. a)	Have you had □ tuberculosis
i. a)	During the past 4 weeks, have you taken any medicines (tablets, injections, suppositories) – including without prescription?  If so, please specify				1.)	myelitis, ☐ typ siosis, ☐ Chag ☐ ebola, ☐ zik When?
b)	During the past 4 weeks, have you taken medicine for prostate enlargement or hair loss (e.g. Alocapil®, Finacapil®, Propecia® or Proscar®) or acne (e.g. Roaccutan®,				b)	Have you had diseases in the If yes, specify
c)	Curakne®, Isotretinoin®, Tretinac® or Toctino®)? During the past 6 months, have you taken medicine to				14.	During the pas
d)	treat prostate enlargement (e.g. Avodart® or Duodart®)? During the past 3 years, have you taken Neotigason®					☐ electric epil
<u>.</u>	or Acicutan® (treatment of psoriasis)?					blood splash
7. a)	Have you ever received an immunotherapy (cells or serum of human or animal origin)?					of the body)? If so, when?_
b)	During the past 12 months, have you been vaccinated to prevent rabies, hepatitis B or tetanus?	П			15.	Have you ever for hepatitis?
c)	During the past 4 weeks, have you received any other vaccination?		П		16.	Has anyone in
	If so, please specify? When?		Ш			partner, had ja the past 12 m
3.	Have you ever had any of the health problems or disorders mentioned below?				17.	Have you beer
a)	Cardiac/circulatory or lung disease (e.g. high/low blood					situations?
	pressure, heart attack, breathing difficulty, stroke, loss of consciousness)?					☐ Sexual inter several part
b)	Skin disease (e.g. wound, rash, eczema) or allergy (e.g. hay fever, asthma, medicines)?	П	П			☐ During the
c)	Other diseases (diabetes, blood disease, coagulation disease, vascular disease, kidney disease, neurological disease, epilepsy, cancer)?					longer in co ☐ Sexual inter ☐ Sexual inter
	During the past 12 months or since your last blood	L	l			□ Sexual inter □ Drug injecti
	donation have you had  ☐ an illness? ☐ an accident? ☐ surgery?					☐ Positive tes (hepatitis B
0. a)	Have you ever received graft(s) of human or animal tissues?				18.	During the pas
b) c)	Have you ever had a brain or a spinal cord surgery? Before 1.1.1986, were you ever treated with growth					were expos
	hormones?					received blo
d)	Have you or has any member of your family had confirmed or suspected Creutzfeldt-Jakob disease?					☐ were treate
e)	Between 1.1.1980 and 31.12.1996, did you ever stay for a period of 6 months or more in the United Kingdom (UK)					medication
	(England, Wales, Scotland, Northern Ireland, Isle of Man,					oman only
f)	Channel Islands, Gibraltar and the Falkland Islands)? Have you received one or more blood transfusions since				19.	Have you ever If yes, state th
	1.1.1980?				20.	Before 1.1.198 infertility treat
1.	During the past 6 months, did you travel outside Switzerland?					1
a)	If yes, where?When did you return to Switzerland?					
b)	Did you have any clinical symptom (e.g. fever) during your stay abroad or since your return? ☐ Yes ☐ No If yes, specify:					

		Yes	No	Visa RBTS SRC
12. a)	Were you born outside Europe, did you grow up there or did you live there for 6 months or more?  If yes, in which country?			
b)	If yes, since when have you lived in Europe? Was your mother born outside Europe or did she grow up there, or did she live there for more than 6 months? If yes, in which country?			
13. a) b)	Have you had any of the following diseases:  □ tuberculosis, □ Lyme disease, □ brucellosis, □ osteomyelitis, □ typhus, □ Q fever, □ toxoplasmosis, □ babesiosis, □ Chagas disease, □ malaria, □ leishmaniasis, □ ebola, □ zika?  When? □ Have you had a tick bite or been in contact with infectious diseases in the past 4 weeks?			
14.	If yes, specify  During the past 4 months have you undergone:  □ tattooing, □ gastro-, colonoscopy, □ acupuncture, □ electric epilation, □ permanent make-up, □ body piercing, □ contact with foreign blood (a stitch wound, blood splash hitting the eyes, the mouth or another part of the body)?  If so, when?			
15.	Have you ever had jaundice (hepatitis) or a positive test for hepatitis?			
16.	Has anyone in your family circle, or your usual sexual partner, had jaundice (hepatitis) or a Zika infection during the past 12 months?			
17.	Have you been exposed to one of the following risk situations?  Change of sexual partner in the past 4 months Sexual intercourse (with or without protection) with several partners in the past 12 months During the past 12 months stayed for 6 months or longer in countries with a high AIDS rate Sexual intercourse between men in the past Sexual intercourse between men in the past 12 month Sexual intercourse for money, drugs or medication Drug injection at present or in the past Positive test for HIV (AIDS), syphilis or jaundice (hepatitis B or C)			
18.	During the past 12 months, have you had sexual intercourse with partners who  □ were exposed to any of the risk situations listed in question 17 or  □ received blood transfusions in countries where AIDS is epidemic or  □ were treated for a blood-clotting disorder with medication produced from blood?			
For w	oman only	•		
19.	Have you ever been pregnant? If yes, state the date of your last pregnancy			
20.	Before 1.1.1986, did you receive hormone injections for infertility treatment?			

- I confirm by my signature that I have thoroughly read and understood all of the information sheet for blood donors and that any queries were satisfactorily answered.
- I confirm that my personal data are correct and that I have answered the questionnaire truthfully.
- I consent that the blood I donate undergoes testing, which may include genetic
  methods if necessary, and that a sample of my blood will be stored for possible
  subsequent tests according to the Federal law on therapeutic products. I agree
  to be informed about abnormal results.
- I am aware that a part of my donation can be used for the preparation of medicinal products.
- I furthermore consent that my donation or certain components thereof may be used for medical research after encoding or anonymization.
- Personal information given in connection with blood donation is subject to medical secrecy. It may only be used within Swiss Transfusion SRC (T-CH SRC) and the Regional Blood Transfusion Service SRC (RBTS SRC). The Regional Blood Transfusion Service is legally obliged to report notifiable diseases to the authorities.

Name:	First name:	
Date:	Signature:	Date of birth:

Remarks: (to be completed by RBTS/SRC)

Visa BTS



# Information sheet for blood donors

Blood donation involves puncturing a vein on the inside of the elbow and withdrawing about 500 ml of blood in about 10 minutes. This rapid blood loss is generally well tolerated by a person in good health. That is why it is important for you to be in good health. If the results of our examinations (blood pressure and haemoglobin test) or your answers to the medical questionnaire show that donating your blood may involve a significant risk to your health, we will not collect your blood for donation. However, even if all precautionary measures are taken, certain unwanted sided effects may occur during or after blood donation:

- a transient blood pressure drop,
- local complications at the puncture site (bruising, widening of a blood vessel, nerve damage).

Most of these side effects are harmless and of short duration. Nevertheless, very rare and potentially severe complications (e.g. longer-term reduced mobility of the arm) cannot be totally excluded. Your blood donation centre will give you useful advice on the best way to avoid or to treat these side effects. You must wait a minimum of 12 hours before carrying out activities, occupations or hobbies in which you might endanger yourself or others.

## Precautionary measures to reduce the risk of your blood donation for the recipient:

#### 1. Risk situations

There is a risk of transmitting infectious agents that might be present in your blood even if you are not ill or do not feel ill. Your answers to the medical questionnaire help us to evaluate this risk. Based on the rules of Swiss Transfusion SRC regarding eligibility to donate blood, you may be excluded from donating blood, either permanently or temporarily.

## The following risk situations are reasons for permanent exclusion from blood donation

- 1. Positive test for HIV (AIDS), syphilis, hepatitis C and persisting/active hepatitis B
- 2. Sexual intercourse\* for money, drugs or medication
- 3. Drug injection (at present or in the past)
- 4. Blood transfusion after 01.01.1980
- 5. Stay in the United Kingdom (UK) (England, Wales, Scotland, Northern Ireland, Isle of Man, Channel Islands, Gibraltar, Falkland Islands) between 01.01.1980 and 31.12.1996 for a total of 6 months or longer

### The following risk situations are reasons for temporary deferral of blood donation

- 6. Stay during the past 6 months in a region where malaria is endemic, without any health problem (in case of illness with fever, tell the doctor at the blood donation centre).
- 7. Gonorrhoea or other sexually transmitted disease during the past 12 months
- 8. Change of sexual partner\* during the past 4 months
- 9. Sexual intercourse\* with multiple partners during the past 12 months
- 10. Sexual intercourse\* between men in the past 12 months
- 11. Stay of 6 months or longer in the past 12 months in countries with a high AIDS rate
- 12. Sexual intercourse\* during the past 12 months with partners exposed to any of the risk situations mentioned under 1 to 4 or 7 to 11, while the deferral period after sexual contact with partners with hepatitis B or C is 6 months.

At any time before, during or after donating, you may withdraw from blood donation and prohibit the use of your donated blood if it has not yet been transfused.

## 2. Laboratory tests

Every blood donation is tested for HIV (AIDS), hepatitis B and C viruses (jaundice), the syphilis agent and, if necessary, Parvo B19 and hepatitis A virus. Should any of the test results indicate any disease, you will immediately be informed and the blood you donated will not be used. However, there may be a time lapse between becoming infected and the laboratory tests showing a positive result. Therefore, if you donate blood during this time lapse, an infectious disease may be transmitted from you to the recipient without the transfusion centre being able to detect or prevent it. This is why it is of the utmost importance that you answer the questionnaire truthfully. The ABO, Rhesus D blood group and possibly other characteristics that may be relevant to transfusion medicine are determined for each donor (if necessary by genetic methods).

### 3. Please inform your blood donation centre as soon as possible, if:

- you or one of your close contacts is taken ill during the next few days,
- you realize that you did not answer one of the questions on the medical questionnaire correctly,
- your blood donation is followed by complications.

Personal information given in connection with blood donation is subject to medical secrecy. It will only be used within Swiss Transfusion SRC and the Regional Blood Transfusion Service. The Regional Blood Transfusion Service is legally obliged to report notifiable diseases to the authorities.

<sup>\*</sup>whether protected or not